

<http://creste41.tice.ac-orleans-tours.fr/eva/spip.php?article555>

Compte-rendu Réunion du 3 février 2016

- InfoSciences - 2016 - RJC 2016 - Défi Robert-Houdin -

Date de mise en ligne : lundi 8 février 2016

Copyright © Sciences41 - Tous droits réservés

Sommaire

- [style="background-color: rgb\(255, 255, 0\);">Organisation gÃ©nÃ©rale](#)
- [style="font-size: 18px;">
style="background-color: rgb\(0, 255, 255\);">Pour le vendredi 4 Mars](#)

```
*[MC:SUBJECT]* p{ margin:10px 0; padding:0; } table{ border-collapse:collapse; } h1,h2,h3,h4,h5,h6{ display:block; margin:0; padding:0; } img,a img{ border:0; height:auto; outline:none; text-decoration:none; } body,#bodyTable,#bodyCell{ height:100%; margin:0; padding:0; width:100%; } #outlook a{ padding:0; } img{ -ms-interpolation-mode:bicubic; } table{ mso-table-lspace:0pt; mso-table-rspace:0pt; } .ReadMsgBody{ width:100%; } .ExternalClass{ width:100%; } p,a,li,td,blockquote{ mso-line-height-rule:exactly; } a[href^=tel],a[href^=sms]{ color:inherit; cursor:default; text-decoration:none; } p,a,li,td,body,table,blockquote{ -ms-text-size-adjust:100%; -webkit-text-size-adjust:100%; } .ExternalClass,.ExternalClass p,.ExternalClass td,.ExternalClass div,.ExternalClass span,.ExternalClass font{ line-height:100%; } a[x-apple-data-detectors]{ color:inherit !important; text-decoration:none !important; font-size:inherit !important; font-family:inherit !important; font-weight:inherit !important; line-height:inherit !important; } .templateContainer{ max-width:600px !important; } a.mcnButton{ display:block; } .mcnImage{ vertical-align:bottom; } .mcnTextContent{ word-break:break-word; } .mcnTextContent img{ height:auto !important; } .mcnDividerBlock{ table-layout:fixed !important; } /* @tab Page @section Background Style @tip Set the background color and top border for your email. You may want to choose colors that match your company's branding. */ body,#bodyTable{ /*@editable*/background-color:#FAFAFA; } /* @tab Page @section Background Style @tip Set the background color and top border for your email. You may want to choose colors that match your company's branding. */ #bodyCell{ /*@editable*/border-top:0; } /* @tab Page @section Heading 1 @tip Set the styling for all first-level headings in your emails. These should be the largest of your headings. @style heading 1 */ h1{ /*@editable*/color:#202020; /*@editable*/font-family:Helvetica; /*@editable*/font-size:26px; /*@editable*/font-style:normal; /*@editable*/font-weight:bold; /*@editable*/line-height:125%; /*@editable*/letter-spacing:normal; /*@editable*/text-align:left; } /* @tab Page @section Heading 2 @tip Set the styling for all second-level headings in your emails. @style heading 2 */ h2{ /*@editable*/color:#202020; /*@editable*/font-family:Helvetica; /*@editable*/font-size:22px; /*@editable*/font-style:normal; /*@editable*/font-weight:bold; /*@editable*/line-height:125%; /*@editable*/letter-spacing:normal; /*@editable*/text-align:left; } /* @tab Page @section Heading 3 @tip Set the styling for all third-level headings in your emails. @style heading 3 */ h3{ /*@editable*/color:#202020; /*@editable*/font-family:Helvetica; /*@editable*/font-size:20px; /*@editable*/font-style:normal; /*@editable*/font-weight:bold; /*@editable*/line-height:125%; /*@editable*/letter-spacing:normal; /*@editable*/text-align:left; } /* @tab Page @section Heading 4 @tip Set the styling for all fourth-level headings in your emails. These should be the smallest of your headings. @style heading 4 */ h4{ /*@editable*/color:#202020; /*@editable*/font-family:Helvetica; /*@editable*/font-size:18px; /*@editable*/font-style:normal; /*@editable*/font-weight:bold; /*@editable*/line-height:125%; /*@editable*/letter-spacing:normal; /*@editable*/text-align:left; } /* @tab Preheader @section Preheader Style @tip Set the background color and borders for your email's preheader area. */ #templatePreheader{ /*@editable*/background-color:#FAFAFA; /*@editable*/border-top:0; /*@editable*/border-bottom:0; /*@editable*/padding-top:9px; /*@editable*/padding-bottom:9px; } /* @tab Preheader @section Preheader Text @tip Set the styling for your email's preheader text. Choose a size and color that is easy to read. */ #templatePreheader .mcnTextContent,#templatePreheader .mcnTextContent p{ /*@editable*/color:#656565; /*@editable*/font-family:Helvetica; /*@editable*/font-size:12px; /*@editable*/line-height:150%; /*@editable*/text-align:left; } /* @tab Preheader @section Preheader Link @tip Set the styling for your email's preheader links. Choose a color that helps them stand out from your text. */ #templatePreheader .mcnTextContent a,#templatePreheader .mcnTextContent p a{ /*@editable*/color:#656565; /*@editable*/font-weight:normal;
```

```

/*@editable*/text-decoration:underline; } /* @tab Header @section Header Style @tip Set the background color and
borders for your email's header area. */ #templateHeader{ /*@editable*/background-color:#FFFFFF;
/*@editable*/border-top:0; /*@editable*/border-bottom:0; /*@editable*/padding-top:9px;
/*@editable*/padding-bottom:0; } /* @tab Header @section Header Text @tip Set the styling for your email's header
text. Choose a size and color that is easy to read. */ #templateHeader .mcnTextContent,#templateHeader
.mcnTextContent p{ /*@editable*/color:#202020; /*@editable*/font-family:Helvetica; /*@editable*/font-size:16px;
/*@editable*/line-height:150%; /*@editable*/text-align:left; } /* @tab Header @section Header Link @tip Set the
styling for your email's header links. Choose a color that helps them stand out from your text. */ #templateHeader
.mcnTextContent a,#templateHeader .mcnTextContent p a{ /*@editable*/color:#2BAADF;
/*@editable*/font-weight:normal; /*@editable*/text-decoration:underline; } /* @tab Body @section Body Style @tip
Set the background color and borders for your email's body area. */ #templateBody{
/*@editable*/background-color:#FFFFFF; /*@editable*/border-top:0; /*@editable*/border-bottom:0;
/*@editable*/padding-top:9px; /*@editable*/padding-bottom:9px; } /* @tab Body @section Body Text @tip Set the
styling for your email's body text. Choose a size and color that is easy to read. */ #templateBody
.mcnTextContent,#templateBody .mcnTextContent p{ /*@editable*/color:#202020; /*@editable*/font-family:Helvetica;
/*@editable*/font-size:16px; /*@editable*/line-height:150%; /*@editable*/text-align:left; } /* @tab Body @section
Body Link @tip Set the styling for your email's body links. Choose a color that helps them stand out from your text. */
#templateBody .mcnTextContent a,#templateBody .mcnTextContent p a{ /*@editable*/color:#2BAADF;
/*@editable*/font-weight:normal; /*@editable*/text-decoration:underline; } /* @tab Footer @section Footer Style @tip
Set the background color and borders for your email's footer area. */ #templateFooter{
/*@editable*/background-color:#FAFAFA; /*@editable*/border-top:0; /*@editable*/border-bottom:0;
/*@editable*/padding-top:9px; /*@editable*/padding-bottom:9px; } /* @tab Footer @section Footer Text @tip Set the
styling for your email's footer text. Choose a size and color that is easy to read. */ #templateFooter
.mcnTextContent,#templateFooter .mcnTextContent p{ /*@editable*/color:#656565;
/*@editable*/font-family:Helvetica; /*@editable*/font-size:12px; /*@editable*/line-height:150%;
/*@editable*/text-align:center; } /* @tab Footer @section Footer Link @tip Set the styling for your email's footer links.
Choose a color that helps them stand out from your text. */ #templateFooter .mcnTextContent a,#templateFooter
.mcnTextContent p a{ /*@editable*/color:#656565; /*@editable*/font-weight:normal;
/*@editable*/text-decoration:underline; } @media only screen and (min-width:768px){ .templateContainer{
width:600px !important; } } @media only screen and (max-width: 480px){ body,table,td,p,a,li,blockquote{
-webkit-text-size-adjust:none !important; } } @media only screen and (max-width: 480px){ body{ width:100%
!important; min-width:100% !important; } } @media only screen and (max-width: 480px){ #bodyCell{
padding-top:10px !important; } } @media only screen and (max-width: 480px){ .mcnImage{ width:100% !important; }
} @media only screen and (max-width: 480px){
.mcnCaptionTopContent,.mcnCaptionBottomContent,.mcnTextContentContainer,.mcnBoxedTextContentContainer,.
mcnImageGroupContentContainer,.mcnCaptionLeftTextContentContainer,.mcnCaptionRightTextContentContainer,.
mcnCaptionLeftImageContentContainer,.mcnCaptionRightImageContentContainer,.mcnImageCardLeftTextContentC
ontainer,.mcnImageCardRightTextContentContainer{ max-width:100% !important; width:100% !important; } }
@media only screen and (max-width: 480px){ .mcnBoxedTextContentContainer{ min-width:100% !important; } }
@media only screen and (max-width: 480px){ .mcnImageGroupContent{ padding:9px !important; } } @media only
screen and (max-width: 480px){ .mcnCaptionLeftContentOuter .mcnTextContent,.mcnCaptionRightContentOuter
.mcnTextContent{ padding-top:9px !important; } } @media only screen and (max-width: 480px){
.mcnImageCardTopImageContent,.mcnCaptionBlockInner .mcnCaptionTopContent:last-child .mcnTextContent{
padding-top:18px !important; } } @media only screen and (max-width: 480px){ .mcnImageCardBottomImageContent{
padding-bottom:9px !important; } } @media only screen and (max-width: 480px){ .mcnImageGroupBlockInner{
padding-top:0 !important; padding-bottom:0 !important; } } @media only screen and (max-width: 480px){
.mcnImageGroupBlockOuter{ padding-top:9px !important; padding-bottom:9px !important; } } @media only screen
and (max-width: 480px){ .mcnTextContent,.mcnBoxedTextContentColumn{ padding-right:18px !important;
padding-left:18px !important; } } @media only screen and (max-width: 480px){
.mcnImageCardLeftImageContent,.mcnImageCardRightImageContent{ padding-right:18px !important;
padding-bottom:0 !important; padding-left:18px !important; } } @media only screen and (max-width: 480px){
.mcpreview-image-uploader{ display:none !important; width:100% !important; } } @media only screen and

```

```
(max-width: 480px){ /* @tab Mobile Styles @section Heading 1 @tip Make the first-level headings larger in size for
better readability on small screens. */ h1{ /*@editable*/font-size:22px !important; /*@editable*/line-height:125%
!important; } } @media only screen and (max-width: 480px){ /* @tab Mobile Styles @section Heading 2 @tip Make
the second-level headings larger in size for better readability on small screens. */ h2{ /*@editable*/font-size:20px
!important; /*@editable*/line-height:125% !important; } } @media only screen and (max-width: 480px){ /* @tab
Mobile Styles @section Heading 3 @tip Make the third-level headings larger in size for better readability on small
screens. */ h3{ /*@editable*/font-size:18px !important; /*@editable*/line-height:125% !important; } } @media only
screen and (max-width: 480px){ /* @tab Mobile Styles @section Heading 4 @tip Make the fourth-level headings
larger in size for better readability on small screens. */ h4{ /*@editable*/font-size:16px !important;
/*@editable*/line-height:150% !important; } } @media only screen and (max-width: 480px){ /* @tab Mobile Styles
@section Boxed Text @tip Make the boxed text larger in size for better readability on small screens. We recommend
a font size of at least 16px. */ .mcnBoxedTextContentContainer .mcnTextContent, .mcnBoxedTextContentContainer
.mcnTextContent p{ /*@editable*/font-size:14px !important; /*@editable*/line-height:150% !important; } } @media
only screen and (max-width: 480px){ /* @tab Mobile Styles @section Preheader Visibility @tip Set the visibility of the
email's preheader on small screens. You can hide it to save space. */ #templatePreheader{
/*@editable*/display:block !important; } } @media only screen and (max-width: 480px){ /* @tab Mobile Styles
@section Preheader Text @tip Make the preheader text larger in size for better readability on small screens. */
#templatePreheader .mcnTextContent, #templatePreheader .mcnTextContent p{ /*@editable*/font-size:14px
!important; /*@editable*/line-height:150% !important; } } @media only screen and (max-width: 480px){ /* @tab
Mobile Styles @section Header Text @tip Make the header text larger in size for better readability on small screens.
*/ #templateHeader .mcnTextContent, #templateHeader .mcnTextContent p{ /*@editable*/font-size:16px !important;
/*@editable*/line-height:150% !important; } } @media only screen and (max-width: 480px){ /* @tab Mobile Styles
@section Body Text @tip Make the body text larger in size for better readability on small screens. We recommend a
font size of at least 16px. */ #templateBody .mcnTextContent, #templateBody .mcnTextContent p{
/*@editable*/font-size:16px !important; /*@editable*/line-height:150% !important; } } @media only screen and
(max-width: 480px){ /* @tab Mobile Styles @section Footer Text @tip Make the footer content text larger in size for
better readability on small screens. */ #templateFooter .mcnTextContent, #templateFooter .mcnTextContent p{
/*@editable*/font-size:14px !important; /*@editable*/line-height:150% !important; } }
```